



**Mr. James A. Fortune, *President***  
**Dr. John E. Talmadge, Jr., *Principal***      **Mr. Joseph J. Oley, Jr., *Assistant Principal***

July 24, 2008

Commonwealth of Virginia  
Department of Environmental Quality  
Piedmont Regional Office  
4949-A Cox Road  
Glen Allen, Virginia 23060

RECEIVED  
JUL 31 2008  
PRO

Attn: Ms. Jaime L. Bauer  
Environmental Specialist II

Re: Permit Application  
Permit No. VA0063037  
Blessed Sacrament-Huguenot Academy

Dear Ms. Bauer:

In response to your letter dated July 10, 2008 Blessed Sacrament Huguenot provides the additional information and corrections to our initial permit application submittal.

Form 2A, Sections A.6 and A.8.

The corrected section is attached to this document. The numbers indicated on the original application were an estimate of the flow (influent) entering the lagoon.

Section A.8

Although we are not aware of any discharges from the lagoon there is a potential for the lagoon to discharge. The corrected section from the application is attached.

Section A.9

See Attached

Section A.10

See Attached

Section A.11  
See Attached

Section A.12


Two sets of samples were collected from the lagoon next to the overflow standpipe. The Certificates of Analysis, Chain of Custody Forms, and the pH readings are attached.

Sewage Sludge Permit Application  
See Attached.

We have received approval from DEQ for the installation of a UV treatment system for the treatment of overflows should they occur. Through recent discussions with our engineer we now believe a more energy efficient option will be to install a Chlorine tablet feeder followed by a De-chlorination tablet feeder to treat any overflows should they occur. We anticipate submitting the updated design to the DEQ within the next 90 days and anticipate installing the new chlorine system within 6 months of approval.

Should you have any questions or comments regarding the enclosed application, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "James A. Fortune". The signature is written in dark ink and is positioned to the left of the printed name and title.

James A. Fortune  
President

Blessed Sacrament Huguenot

Form Approved 1/14/99  
OMB Number 2040-0086

a. Is the treatment works located in Indian Country?

Yes ☒ No

b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

Yes ☒ No

**A.6. Flow.** Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

a. Design flow rate 0.004 mgd

### Two Years Ago

Last Year

This Year

b. Annual average daily flow rate	0.00	0.00	0.00 mgd
-----------------------------------	------	------	----------

c. Maximum daily flow rate	0.00	0.00	0.00 mgd
----------------------------	------	------	----------

**A.7. Collection System.** Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

✓	Separate sanitary sewer	100.00 %
---	-------------------------	----------

Combined storm and sanitary sewer	%
1.0	1.0
1.5	1.5
2.0	2.0
2.5	2.5
3.0	3.0
3.5	3.5
4.0	4.0
4.5	4.5
5.0	5.0
5.5	5.5
6.0	6.0
6.5	6.5
7.0	7.0
7.5	7.5
8.0	8.0
8.5	8.5
9.0	9.0
9.5	9.5
10.0	10.0
10.5	10.5
11.0	11.0
11.5	11.5
12.0	12.0
12.5	12.5
13.0	13.0
13.5	13.5
14.0	14.0
14.5	14.5
15.0	15.0
15.5	15.5
16.0	16.0
16.5	16.5
17.0	17.0
17.5	17.5
18.0	18.0
18.5	18.5
19.0	19.0
19.5	19.5
20.0	20.0
20.5	20.5
21.0	21.0
21.5	21.5
22.0	22.0
22.5	22.5
23.0	23.0
23.5	23.5
24.0	24.0
24.5	24.5
25.0	25.0
25.5	25.5
26.0	26.0
26.5	26.5
27.0	27.0
27.5	27.5
28.0	28.0
28.5	28.5
29.0	29.0
29.5	29.5
30.0	30.0
30.5	30.5
31.0	31.0
31.5	31.5
32.0	32.0
32.5	32.5
33.0	33.0
33.5	33.5
34.0	34.0
34.5	34.5
35.0	35.0
35.5	35.5
36.0	36.0
36.5	36.5
37.0	37.0
37.5	37.5
38.0	38.0
38.5	38.5
39.0	39.0
39.5	39.5
40.0	40.0
40.5	40.5
41.0	41.0
41.5	41.5
42.0	42.0
42.5	42.5
43.0	43.0
43.5	43.5
44.0	44.0
44.5	44.5
45.0	45.0
45.5	45.5
46.0	46.0
46.5	46.5
47.0	47.0
47.5	47.5
48.0	48.0
48.5	48.5
49.0	49.0
49.5	49.5
50.0	50.0
50.5	50.5
51.0	51.0
51.5	51.5
52.0	52.0
52.5	52.5
53.0	53.0
53.5	53.5
54.0	54.0
54.5	54.5
55.0	55.0
55.5	55.5
56.0	56.0
56.5	56.5
57.0	57.0
57.5	57.5
58.0	58.0
58.5	58.5
59.0	59.0
59.5	59.5
60.0	60.0
60.5	60.5
61.0	61.0
61.5	61.5
62.0	62.0
62.5	62.5
63.0	63.0
63.5	63.5
64.0	64.0
64.5	64.5
65.0	65.0
65.5	65.5
66.0	66.0
66.5	66.5
67.0	67.0
67.5	67.5
68.0	68.0
68.5	68.5
69.0	69.0
69.5	69.5
70.0	70.0
70.5	70.5
71.0	71.0
71.5	71.5
72.0	72.0
72.5	72.5
73.0	73.0
73.5	73.5
74.0	74.0
74.5	74.5
75.0	75.0
75.5	75.5
76.0	76.0
76.5	

#### A.8. Discharges and Other Disposal Methods.

a. Does the treatment works discharge effluent to waters of the U.S.? ☒ Yes ☐ No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent	0
-----------------------------------	---

ii. Discharges of untreated or partially treated effluent	1
---	---

iii. Combined sewer overflow points	0
-------------------------------------	---

iv. Constructed emergency overflows (prior to the headworks)	0
--	---

v. Other	0
----------	---

b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? Yes ☒ No ☐

If yes, provide the following for each surface impoundment:

Location: \_\_\_\_\_

Annual average daily volume discharged to surface impoundment(s) mgd

Is discharge continuous or intermittent?

c. Does the treatment works land-apply treated wastewater? Yes ☒ No ☐

If yes, provide the following for each land application site:

Location: \_\_\_\_\_

Number of acres: \_\_\_\_\_

Annual average daily volume applied to site: Mag

Is land application continuous or intermittent?

d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works? Yes ☒ No ☐

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 **once for each outfall** (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

**A.9. Description of Outfall.**

- a. Outfall number 001
- b. Location 2501 Academy Road 23139  
(City or town, if applicable) (Zip Code)  
Powhatan County Virginia  
(County) (State)  
37 33 31.99 N 77 53 10.99 W  
(Latitude) (Longitude)
- c. Distance from shore (if applicable) 0.00 ft.
- d. Depth below surface (if applicable) 0.00 ft.
- e. Average daily flow rate 0.00 mgd
- f. Does this outfall have either an intermittent or a periodic discharge? Yes ☒ No (go to A.9.g.)
- If yes, provide the following information:
- Number of times per year discharge occurs: \_\_\_\_\_
- Average duration of each discharge: \_\_\_\_\_
- Average flow per discharge: \_\_\_\_\_ mgd
- Months in which discharge occurs: \_\_\_\_\_
- g. Is outfall equipped with a diffuser? Yes ☒ No

**A.10. Description of Receiving Waters.**

- a. Name of receiving water Unnamed Tributary to Branch Creek
- b. Name of watershed (if known) James River (Middle)
- United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_
- c. Name of State Management/River Basin (if known): \_\_\_\_\_
- United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_
- d. Critical low flow of receiving stream (if applicable):  
acute \_\_\_\_\_ cfs chronic \_\_\_\_\_ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): \_\_\_\_\_ mg/l of CaCO<sub>3</sub>



## FACILITY NAME AND PERMIT NUMBER:

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

## A.11. Description of Treatment.

- a. What levels of treatment are provided? Check all that apply.

☐ Primary

Secondary

☐ Advanced

Other. Describe:

Stabilization Lagoon

- b. Indicate the following removal rates (as applicable):

Design BOD<sub>5</sub> removal or Design CBOD<sub>5</sub> removal

80.00

%

Design SS removal

80.00

%

Design P removal

0.00

%

Design N removal

0.00

%

Other

%

- c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

UV disinfection was originally proposed. Tablet chlorination, dechlorination will be requested for use.

If disinfection is by chlorination, is dechlorination used for this outfall?



Yes

☐ No

- d. Does the treatment plant have post aeration?



Yes



No

**A.12. Effluent Testing Information.** All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: 001

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)	6.61	s.u.			
pH (Maximum)	6.67	s.u.			
Flow Rate	0.00	Gallons	0.00	Gallons	52.00
Temperature (Winter)					
Temperature (Summer)	25.20	Degrees C	24.60	Degrees C	2.00

\* For pH please report a minimum and a maximum daily value


POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

## CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5	144.00	mg/L	82.75	mg/L	2.00	5210 B	5
	CBOD-5							
FECAL COLIFORM		1,600.00	MPN/100	1,600.00	MPN/100	2.00	9221 E	2
TOTAL SUSPENDED SOLIDS (TSS)		117.00	mg/L	112.30	mg/L	2.00	2540D	1

## END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE



# Field Measurements

**C.E. WISE, INC**

Client:	Blessed Sacramento Hypervent
Location:	Lagoon - next to discharge pipe
Notes:	

pH	Grab (In situ)	7/9/08	12:45	12:45	6.61	S.V.	CW
Parameter	Sample Type	Date	Time Collected	Time Analyzed	Result	Units	Initials

Temp	Grab (In situ)	7/9/08	12:45	12:45	24.0	Degrees C	CW
Parameter	Sample Type	Date	Time Collected	Time Analyzed	Result	Units	Initials


pH	Grab (In situ)	7/11/08	11:10	11:10	6.67	S.V.	CW
Parameter	Sample Type	Date	Time Collected	Time Analyzed	Result	Units	Initials

Temp	Grab (In situ)	7/11/08	11:10	11:10	25.2	Degrees C	CW
Parameter	Sample Type	Date	Time Collected	Time Analyzed	Result	Units	Initials

Parameter	Sample Type	Date	Time Collected	Time Analyzed	Result	Units	Initials

# Primary Laboratories, Inc.

7423 Lee Davis Road • Mechanicsville, VA 23111 • Telephone (804) 559-9004 • Fax (804) 559-9306



## ANALYTICAL LABORATORY REPORT

16-Jul-08

C. E. Wise, Inc.  
Attn: Chris Wise  
P. O. Box 1017  
Powhatan, VA 23139

Project: Blessed Sacrament - Lagoon Sampling  
Date Received: 9-Jul-08  
Date Sampled: 9-Jul-08  
Work Order No: 0807057-01  
Client ID: **Outfall 001 Grab**

Test Description	Final Result	Reporting Limit	Units of Measure	Method Numbers*	Date Analyzed	Tech. Initials
BOD	21.5	6.0	mg/L	5210 B	9-Jul-08 at 15:30	NA
TSS	107.6	1.0	mg/L	2540 D	15-Jul-08 at 13:45	AS
Fecal Coliform	≥ 1600	2	MPN/100ml	9221 E	9-Jul-08 at 15:00	AS

\* All methods are Standard Methods 18th Edition unless otherwise noted.

Signature: \_\_\_\_\_

Parry L. Bragg  
Laboratory Manager


Date: \_\_\_\_\_

7/16/08

These analytical results are based upon materials provided by the client and are intended for the exclusive use of the client. These analytical results represent the best judgement of Primary Laboratories, Inc. Primary Laboratories, Inc. assumes no responsibility, express or implied, as to the interpretation of the analytical results contained in this report. This report is not to be reproduced except with the written approval of Primary Laboratories, Inc.

# Primary Laboratories, Inc.

7423 Lee Davis Road • Mechanicsville, VA 23111 • Telephone (804) 559-9004 • Fax (804) 559-9306



## ANALYTICAL LABORATORY REPORT

16-Jul-08

C. E. Wise, Inc.  
Attn: Chris Wise  
P. O. Box 1017  
Powhatan, VA 23139

Project: Blessed Sacrament - VPDES Permit Renewal  
Date Received: 11-Jul-08  
Date Sampled: 11-Jul-08  
Work Order No: 0807087-01  
Client ID: Lagoon next to Outfall

Test Description	Final Result	Reporting Limit	Units of Measure	Method Numbers*	Date Analyzed	Tech. Initials
BOD	144.0	5.0	mg/L	5210 B	11-Jul-08 at 15:15	NA
TSS	117.0	1.0	mg/L	2540 D	15-Jul-08 at 13:45	AS
Fecal Coliform	≥ 1600	2	MPN/100ml	9221 E	11-Jul-08 at 15:15	AS

\* All methods are Standard Methods 18th Edition unless otherwise noted.

Signature: \_\_\_\_\_

Parry L. Bragg  
Laboratory Manager

Date: \_\_\_\_\_

7/16/08

These analytical results are based upon materials provided by the client and are intended for the exclusive use of the client. These analytical results represent the best judgement of Primary Laboratories, Inc. Primary Laboratories, Inc. assumes no responsibility, express or implied, as to the interpretation of the analytical results contained in this report. This report is not to be reproduced except with the written approval of Primary Laboratories, Inc.

**Primary Laboratories**  
7423 Lee Davis Road  
Mechanicsville, VA 23111  
TEL: (804) 559-9004  
FAX: (804) 559-9306

CHAIN OF CUSTODY #: \_\_\_\_\_ OF \_\_\_\_\_

**Primary Laboratories.**  
7423 Lee Davis Road  
Mechanicsville, VA 23111  
TEL: (804) 559-9004  
FAX: (804) 559-9306

CHAIN OF CUSTODY #: \_\_\_\_\_ OF \_\_\_\_\_



RECEIVED

JUN 30 2008

PRO

**Mr. James A. Fortune, *President***

**Dr. John E. Talmadge, Jr., *Principal***

**Mr. Joseph J. Oley, Jr., *Assistant Principal***

June 27, 2008

Commonwealth of Virginia  
Department of Environmental Quality  
Piedmont Regional Office  
4949-A Cox Road  
Glen Allen, Virginia 23060

Attn: Ms. Jaime L. Bauer  
Environmental Specialist II

Re: Permit Application  
Permit No. VA0063037  
Blessed Sacrament-Huguenot Academy

Dear Ms. Bauer:

Enclosed for your use is a copy of the VPDES Permit Application for the above referenced facility. The completed application forms consist of the following:

- Permit Application Form 2A
- Sewage Sludge Permit Application Form
- VPDES Permit Application Addendum
- Public Notice Billing Information Form

To our knowledge, there is no discharge from the stabilization lagoon and analytical discharge data is unavailable. In an effort to determine the potential effluent characteristics of the lagoon, it is requested that we be allowed to collect representative samples from the stabilization lagoon at a point where a discharge would occur. We propose to collect two rounds of sampling within the next 30 days. We also request a waiver that stipulates two of the samples must be collected at least four months apart.

The sludge blanket depth in the stabilization lagoon will be appropriately monitored using a "sludge judge" or other similar device. When the level reaches



a point where solids adversely impact the operation of the facility, arrangements will be made to remove solids via a contract hauler and transported to the Dutoy Creek Wastewater Treatment Facility for appropriate treatment and disposal.

Should you have any questions or comments regarding the enclosed application, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, reading "James A. Fortune". The signature is written in dark ink and is positioned above the printed name and title.

James A. Fortune  
President

PUBLIC NOTICE BILLING INFORMATION FORM

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in accordance with 9 VAC 25-31-290. C. 2.

Agent/Department to be billed:

Agent/Department to be billed: JAMES A. FORTUNE

Owner:

Blessed SACRAMENT-HUGUENOT ACADEMY

Applicant's Address:

2501 ACADEMY ROAD  
POWhatan, VA. 23139

Agent's Telephone No:

(804) 598-4212

Authorizing Agent:

James A. Fortune  
Signature

Facility Name:

Blessed SACRAMENT-HUGUENOT ACADEMY

Permit No:

VA0063037

Please return to:

Ms. Jaime Bauer  
DEQ - Piedmont Regional Office  
4949 A-Cox Road  
Glen Allen, VA 23060

Fax Number: 804-527-5106

VPDES Permit Application Addendum

1. Entity to whom the permit is to be issued: Blessed Sacrament Huguenot Academy  
Who will be legally responsible for the wastewater treatment facilities and compliance with the permit?  
This may or may not be the facility or property owner.

2. Is this facility located within city or town boundaries? Y ☒ N

3. Provide the tax map parcel number for the land where the discharge is located. 27-29B

4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities? NONE

5. What is the design average effluent flow of this facility? 0.004 MGD  
For industrial facilities, provide the max. 30-day average production level, include units:

In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Y ☒ N  
If "Yes", please identify the other flow tiers (in MGD) or production levels:

*Please consider the following questions for both the flow tiers and the production levels (if applicable):  
Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?*

6. Nature of operations generating wastewater:  
PRIVATE NON-PROFIT EDUCATIONAL INSTITUTE, PK-12th GRADES

100 % of flow from domestic connections/sources

Number of private residences to be served by the treatment works: 0

0 % of flow from non-domestic connections/sources

7. Mode of discharge: Continuous Intermittent Seasonal N/A  
Describe frequency and duration of intermittent or seasonal discharges:

NO DISCHARGE


8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:

- ☐ Permanent stream, never dry  
☐ Intermittent stream, usually flowing, sometimes dry  
☒ Ephemeral stream, wet-weather flow, often dry  
☐ Effluent-dependent stream, usually or always dry without effluent flow  
☐ Lake or pond at or below the discharge point

Other: \_\_\_\_\_

9. Approval Date(s): UNDER DEVELOPMENT  
O & M Manual 01/29/99 Sludge/Solids Management Plan DEVELOPMENT

Have there been any changes in your operations or procedures since the above approval dates?  
Y ☒ N



USGS 7.5 Minute Topographic Survey Map  
Powhatan, VA. 1966, - Photorevised 1987

**Swift Creek**  
**SWIFT CREEK**  
ENVIRONMENTAL, INC

8201 County Drive, Disputanta, VA 23842-6144

FIGURE NO. 1	
FIGURE NAME: SITE VICINITY MAP	
CLIENT: Blessed Sacrement Huguenot Academy	JOB NO: 03-034
SITE: Powhatan, Virginia	DATE: 11/2005



## FACILITY NAME AND PERMIT NUMBER:

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086FORM  
**2A**  
NPDES**NPDES FORM 2A APPLICATION OVERVIEW****APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

**BASIC APPLICATION INFORMATION:**

- A. Basic Application Information for all Applicants.** All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow  $\geq$  0.1 mgd.** All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification.** All applicants must complete Part C (Certification).

**SUPPLEMENTAL APPLICATION INFORMATION:**

- D. Expanded Effluent Testing Data.** A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
1. Has a design flow rate greater than or equal to 1 mgd,
  2. Is required to have a pretreatment program (or has one in place), or
  3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data.** A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
1. Has a design flow rate greater than or equal to 1 mgd,
  2. Is required to have a pretreatment program (or has one in place), or
  3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes.** A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems.** A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

**ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)****RECEIVED**  
JUN 30 2008  
**PRO**

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:****All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet.****A.1. Facility Information.**Facility name Blessed Sacrament HuguenotMailing Address 2501 Academy Road, Powhatan, Virginia, 23139Contact person Mr. James FortuneTitle PresidentTelephone number (804) 598-4212Facility Address 2501 Academy Road, Powhatan, Virginia, 23139

(not P.O. Box)

**A.2. Applicant Information.** If the applicant is different from the above, provide the following:

Applicant name \_\_\_\_\_

Mailing Address \_\_\_\_\_

Contact person \_\_\_\_\_

Title \_\_\_\_\_

Telephone number \_\_\_\_\_

**Is the applicant the owner or operator (or both) of the treatment works?**☒ owner ☒ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.

☐ facility ☒ applicant**A.3. Existing Environmental Permits.** Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).NPDES VA0063037

PSD \_\_\_\_\_

UIC \_\_\_\_\_

Other \_\_\_\_\_

RCRA \_\_\_\_\_

Other \_\_\_\_\_

**A.4. Collection System Information.** Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

Name

Population Served

Type of Collection System

Ownership

BSH525SanitaryPrivateTotal population served 525



## FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99  
OMB Number 2040-0086

Blessed Sacrament Huguenot

VA0063037

## A.5. Indian Country.

- a. Is the treatment works located in Indian Country?

☐ Yes ☒ No

- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

☐ Yes ☒ No

**A.6. Flow.** Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate
- 0.004
- mgd

	Two Years Ago	Last Year	This Year	
b. Annual average daily flow rate	<u>0.0024</u>	<u>0.0025</u>	<u>0.0026</u>	mgd
c. Maximum daily flow rate	<u>0.0120</u>	<u>0.0125</u>	<u>0.0130</u>	mgd

**A.7. Collection System.** Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

☒ Separate sanitary sewer 100.00 %  
☐ Combined storm and sanitary sewer \_\_\_\_\_ %

## A.8. Discharges and Other Disposal Methods.

- a. Does the treatment works discharge effluent to waters of the U.S.?
- ☐
- Yes
- ☒
- No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent 0  
 ii. Discharges of untreated or partially treated effluent 0  
 iii. Combined sewer overflow points 0  
 iv. Constructed emergency overflows (prior to the headworks) 0  
 v. Other \_\_\_\_\_

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.?

☐ Yes ☒ No

If yes, provide the following for each surface impoundment:

Location: \_\_\_\_\_

Annual average daily volume discharged to surface impoundment(s) \_\_\_\_\_ mgd

Is discharge \_\_\_\_\_ continuous or \_\_\_\_\_ intermittent?

- c. Does the treatment works land-apply treated wastewater?

☐ Yes ☒ No

If yes, provide the following for each land application site:

Location: \_\_\_\_\_

Number of acres: \_\_\_\_\_

Annual average daily volume applied to site: \_\_\_\_\_ Mgd

Is land application \_\_\_\_\_ continuous or \_\_\_\_\_ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?

☐ Yes ☒ No



**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

\_\_\_\_\_

If transport is by a party other than the applicant, provide:

Transporter name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_

Contact person: \_\_\_\_\_

Title: \_\_\_\_\_

Telephone number: \_\_\_\_\_

For each treatment works that receives this discharge, provide the following:

Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_

Contact person: \_\_\_\_\_

Title: \_\_\_\_\_

Telephone number: \_\_\_\_\_

If known, provide the NPDES permit number of the treatment works that receives this discharge. \_\_\_\_\_

Provide the average daily flow rate from the treatment works into the receiving facility. \_\_\_\_\_

\_\_\_\_\_ mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)?

\_\_\_\_\_ Yes



No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

\_\_\_\_\_

Annual daily volume disposed of by this method: \_\_\_\_\_

Is disposal through this method \_\_\_\_\_

continuous or

\_\_\_\_\_ intermittent?

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 **once for each outfall** (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

**A.9. Description of Outfall.**

a. Outfall number \_\_\_\_\_

b. Location \_\_\_\_\_

(City or town, if applicable)

(Zip Code)

(County)

(State)

(Latitude)

(Longitude)

c. Distance from shore (if applicable) \_\_\_\_\_

ft.

d. Depth below surface (if applicable) \_\_\_\_\_

ft.

e. Average daily flow rate \_\_\_\_\_

mgd

f. Does this outfall have either an intermittent or a periodic discharge? \_\_\_\_\_

Yes

No

(go to A.9.g.)

If yes, provide the following information:

Number of times per year discharge occurs: \_\_\_\_\_

Average duration of each discharge: \_\_\_\_\_

Average flow per discharge: \_\_\_\_\_

mgd

Months in which discharge occurs: \_\_\_\_\_

g. Is outfall equipped with a diffuser? \_\_\_\_\_

Yes

No

**A.10. Description of Receiving Waters.**

a. Name of receiving water \_\_\_\_\_

b. Name of watershed (if known) \_\_\_\_\_

United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_

c. Name of State Management/River Basin (if known): \_\_\_\_\_

United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_

d. Critical low flow of receiving stream (if applicable):

acute \_\_\_\_\_ cfs

chronic \_\_\_\_\_ cfs

e. Total hardness of receiving stream at critical low flow (if applicable): \_\_\_\_\_ mg/l of CaCO<sub>3</sub>

## FACILITY NAME AND PERMIT NUMBER:

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

## A.11. Description of Treatment.

- a. What levels of treatment are provided? Check all that apply.

☐ Primary☐ Secondary☐ Advanced☐ Other. Describe: \_\_\_\_\_

- b. Indicate the following removal rates (as applicable):

Design BOD<sub>5</sub> removal or Design CBOD<sub>5</sub> removal

\_\_\_\_\_ %

Design SS removal

\_\_\_\_\_ %

Design P removal

\_\_\_\_\_ %

Design N removal

\_\_\_\_\_ %

Other \_\_\_\_\_

\_\_\_\_\_ %

- c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

\_\_\_\_\_

If disinfection is by chlorination, is dechlorination used for this outfall?

☐ Yes☐ No

- d. Does the treatment plant have post aeration?

☐ Yes☐ No

**A.12. Effluent Testing Information.** All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: \_\_\_\_\_

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)		s.u.			
pH (Maximum)		s.u.			
Flow Rate					
Temperature (Winter)					
Temperature (Summer)					

\* For pH please report a minimum and a maximum daily value

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

## CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5						
	CBOD-5						
FECAL COLIFORM							
TOTAL SUSPENDED SOLIDS (TSS)							

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).**All applicants with a design flow rate  $\geq 0.1$  mgd must answer questions B.1 through B.6. All others go to Part C (Certification).**B.1. Inflow and Infiltration.** Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.

\_\_\_\_\_gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

**B.2. Topographic Map.** Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

**B.3. Process Flow Diagram or Schematic.** Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.**B.4. Operation/Maintenance Performed by Contractor(s).**

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? \_\_\_\_Yes \_\_\_\_No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Responsibilities of Contractor: \_\_\_\_\_

**B.5. Scheduled Improvements and Schedules of Implementation.** Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

\_\_\_\_\_

- Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

\_\_\_\_Yes \_\_\_\_No

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

- c If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).

- d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

Implementation Stage	Schedule	Actual Completion
	MM / DD / YYYY	MM / DD / YYYY
- Begin construction	___/___/___	___/___/___
- End construction	___/___/___	___/___/___
- Begin discharge	___/___/___	___/___/___
- Attain operational level	___/___/___	___/___/___

- e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? \_\_\_\_Yes \_\_\_\_No

Describe briefly: \_\_\_\_\_  
\_\_\_\_\_

**B.6. EFFLUENT TESTING DATA (GREATER THAN 0.1 MGD ONLY).**

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: \_\_\_\_\_

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.							
AMMONIA (as N)							
CHLORINE (TOTAL RESIDUAL, TRC)							
DISSOLVED OXYGEN							
TOTAL KJELDAHL NITROGEN (TKN)							
NITRATE PLUS NITRITE NITROGEN							
OIL and GREASE							
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)							
OTHER							

**END OF PART B.**

**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE**

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART C. CERTIFICATION**

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

**Indicate which parts of Form 2A you have completed and are submitting:**☒ Basic Application Information packet

Supplemental Application Information packet:

☐ Part D (Expanded Effluent Testing Data)☐ Part E (Toxicity Testing: Biomonitoring Data)☐ Part F (Industrial User Discharges and RCRA/CERCLA Wastes)☐ Part G (Combined Sewer Systems)**ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title James A. FortuneSignature Telephone number (804) 598-4212Date signed 6/28/08

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

**SEND COMPLETED FORMS TO:**

## Blessed Sacrament Huguenot

Form Approved 1/14/99  
OMB Number 2040-0086

## PART D. EXPANDED EFFLUENT TESTING DATA

**Refer to the directions on the cover page to determine whether this section applies to the treatment works.**

**Effluent Testing: 1.0 mgd and Pretreatment Treatment Works.** If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

[illegible]



Blessed Sacrament Huguenot	VA0063037
----------------------------	-----------

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

[illegible]



## Blessed Sacrament Huguenot

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

[illegible]

Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer.

[illegible]

### ACID-EXTRACTABLE COMPOUNDS

[illegible]

Use this space (or a separate sheet) to provide information on other acid-extractable compounds requested by the permit writer.

[illegible]

### BASE-NEUTRAL COMPOUNDS.

[illegible]

## Blessed Sacrament Huguenot

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

[illegible]

## FACILITY NAME AND PERMIT NUMBER:

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/ MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO-PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											

Use this space (or a separate sheet) to provide information on other base-neutral compounds requested by the permit writer.

--	--	--	--	--	--	--	--	--	--	--	--

Use this space (or a separate sheet) to provide information on other pollutants (e.g., pesticides) requested by the permit writer.

--	--	--	--	--	--	--	--	--	--	--	--

END OF PART D.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM  
2A YOU MUST COMPLETE

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086**SUPPLEMENTAL APPLICATION INFORMATION****PART E. TOXICITY TESTING DATA**

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.

**E.1. Required Tests.**

Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.

\_\_\_\_ chronic      \_\_\_\_ acute

**E.2. Individual Test Data.** Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.

Test number: \_\_\_\_\_ Test number: \_\_\_\_\_ Test number: \_\_\_\_\_

**a. Test information.**

Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			

**b. Give toxicity test methods followed.**

Manual title			
Edition number and year of publication			
Page number(s)			

**c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.**

24-Hour composite			
Grab			

**d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)**

Before disinfection			
After disinfection			
After dechlorination			

<b>FACILITY NAME AND PERMIT NUMBER:</b>	
Blessed Sacrament Huguenot	VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

Test number: _____				Test number: _____				Test number: _____			
e. Describe the point in the treatment process at which the sample was collected.											
Sample was collected:											
f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both.											
Chronic toxicity											
Acute toxicity											
g. Provide the type of test performed.											
Static											
Static-renewal											
Flow-through											
h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source.											
Laboratory water											
Receiving water											
i. Type of dilution water. If salt water, specify "natural" or type of artificial sea salts or brine used.											
Fresh water											
Salt water											
j. Give the percentage effluent used for all concentrations in the test series.											
k. Parameters measured during the test. (State whether parameter meets test method specifications)											
pH											
Salinity											
Temperature											
Ammonia											
Dissolved oxygen											
l. Test Results.											
Acute:											
Percent survival in 100% effluent			%			%			%		
LC <sub>50</sub>											
95% C.I.			%			%			%		
Control percent survival			%			%			%		
Other (describe)											

**FACILITY NAME AND PERMIT NUMBER:**

Blessed Sacrament Huguenot

VA0063037

Form Approved 1/14/99  
OMB Number 2040-0086

- c. Give the average volume per CSO event.

\_\_\_\_\_ million gallons (\_\_\_\_ actual or \_\_\_\_ approx.)

- d. Give the minimum rainfall that caused a CSO event in the last year.

\_\_\_\_\_ inches of rainfall

**G.5. Description of Receiving Waters.**

- a. Name of receiving water: \_\_\_\_\_

- b. Name of watershed/river/stream system: \_\_\_\_\_

United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_

- c. Name of State Management/River Basin: \_\_\_\_\_

United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_

**G.6. CSO Operations.**

Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).

\_\_\_\_\_  
\_\_\_\_\_

**END OF PART G.**

**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM  
2A YOU MUST COMPLETE.**

### SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1. All applicants must complete Section A (General Information).

2. Will this facility generate sewage sludge? ☒ Yes ☐ No

Will this facility derive a material from sewage sludge? ☐ Yes ☒ No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Will this facility apply sewage sludge to the land? ☐ Yes ☒ No

Will sewage sludge from this facility be applied to the land? ☐ Yes ☒ No

If you answered No to both questions above, skip Section C.

If you answered Yes to either, answer the following three questions:

a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?  
☐ Yes ☐ No

b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? ☐ Yes ☐ No

c. Will sewage sludge from this facility be sent to another facility for treatment or blending? ☐ Yes ☐ No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? ☐ Yes ☒ No

If Yes, complete Section D (Surface Disposal).

RECEIVED  
JUN 30 2008  
PRO

All applicants must complete this section.

1. Facility Information.
  - a. Facility name: Blessed SACRAMENT - HYGUENOT ACADEMY
  - b. Contact person: JAMES A. FORTUNE  
Title: PRESIDENT  
Phone: (804) 598-4212
  - c. Mailing address:  
Street or P.O. Box: 2501 ACADEMY ROAD  
City or Town: POWHEATAN State: VA Zip: 23139
  - d. Facility location:  
Street or Route #: 2501 ACADEMY ROAD  
County: POWHEATAN  
City or Town: POWHEATAN State: VA Zip: 23139
  - e. Is this facility a Class I sludge management facility? ☐ Yes ☒ No
  - f. Facility design flow rate: 0.004 mgd
  - g. Total population served: 525
  - h. Indicate the type of facility:  
☐ Publicly owned treatment works (POTW)  
☒ Privately owned treatment works  
☐ Federally owned treatment works  
☐ Blending or treatment operation  
☐ Surface disposal site  
☐ Other (describe): \_\_\_\_\_
2. Applicant Information. If the applicant is different from the above, provide the following:
  - a. Applicant name: \_\_\_\_\_
  - b. Mailing address:  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
  - c. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
  - d. Is the applicant the owner or operator (or both) of this facility?  
☐ owner ☐ operator
  - e. Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)  
☐ facility ☐ applicant
3. Permit Information.
  - a. Facility's VPDES permit number (if applicable): VA0063037
  - b. List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
4. Indian Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility occur in Indian Country? ☐ Yes ☒ No If yes, describe:  
\_\_\_\_\_



FACILITY NAME: Blessed SACRAMENT-HUGUENOT ACADEMY VPDES PERMIT NUMBER: VA006 3037

5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
- Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
  - Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.
7. Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? ☒ Yes ☐ No  
If yes, provide the following for each contractor (attach additional pages if necessary).  
Name: Lytle Utilities, Inc.  
Mailing address:  
Street or P.O. Box: 2210 Belt Boulevard  
City or Town: Richmond State: VA. Zip: 23224  
Phone: (804) 231-3426  
Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:  
96120-0001H  
If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).
8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old. Sludge NEVER REMOVED.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc				

9. Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:

☒ Section A (General Information)  
☒ Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)  
☐ Section C (Land Application of Bulk Sewage Sludge)  
☐ Section D (Surface Disposal)

FACILITY NAME: Blessed Sacrament - HUGUENOT ACADEMY VPDES PERMIT NUMBER: VA0063037

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title JAMES A. FORTUNE  
Signature [Signature] Date Signed 6/27/08  
Telephone number (804) 598-4212

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

FACILITY NAME: Bleed Sacramento-HydroNOT Academy VPDES PERMIT NUMBER: VA0063037  
SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION  
OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site. UNKNOWN  
Total dry metric tons per 365-day period generated at your facility: \_\_\_\_\_ dry metric tons
2. Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary. N/A
- a. Facility name: \_\_\_\_\_
- b. Contact Person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone ( ) \_\_\_\_\_
- c. Mailing address: \_\_\_\_\_  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- d. Facility Address: \_\_\_\_\_  
(not P.O. Box) \_\_\_\_\_
- e. Total dry metric tons per 365-day period received from this facility: \_\_\_\_\_ dry metric tons
- f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:
- \_\_\_\_\_
- \_\_\_\_\_

3. Treatment Provided at Your Facility.
- a. Which class of pathogen reduction is achieved for the sewage sludge at your facility?  
\_\_\_ Class A \_\_\_ Class B ☒ Neither or unknown
- b. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: BIOLOGICAL STABILIZATION
- c. Which vector attraction reduction option is met for the sewage sludge at your facility?  
\_\_\_ Option 1 (Minimum 38 percent reduction in volatile solids)  
\_\_\_ Option 2 (Anaerobic process, with bench-scale demonstration)  
\_\_\_ Option 3 (Aerobic process, with bench-scale demonstration)  
\_\_\_ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  
\_\_\_ Option 5 (Aerobic processes plus raised temperature)  
\_\_\_ Option 6 (Raise pH to 12 and retain at 11.5)  
\_\_\_ Option 7 (75 percent solids with no unstabilized solids)  
\_\_\_ Option 8 (90 percent solids with unstabilized solids)  
☒ None or unknown
- d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: N/A
- e. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: NONE

4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge).  
(If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)
- a. Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: \_\_\_\_\_ dry metric tons
- b. Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?

FACILITY NAME: Blessed SACRAMENT-HUGUENOT ACADEMY VPDES PERMIT NUMBER: VA0063037  
\_\_\_ Yes \_\_\_ No

5. Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: \_\_\_\_\_ dry metric tons
- b. Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.

6. Shipment Off Site for Treatment or Blending.

(Complete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)

- a. Receiving facility name: Dutouy Creek WWTP
- b. Facility contact: BRAD ALLEN  
Title: Chief Operator  
Phone: (804) 897-5612
- c. Mailing address:  
Street or P.O. Box: 2040 ANDERSON Highway  
City or Town: Powhatan State: VA Zip: 23139
- d. Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: \_\_\_\_\_ dry metric tons
- e. List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:

Permit Number: VA0090727

Type of Permit:

VPDES

- f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? ☒ Yes \_\_\_ No

Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?

\_\_\_ Class A ☒ Class B \_\_\_ Neither or unknown

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: \_\_\_\_\_

- g. Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the sewage sludge? ☒ Yes \_\_\_ No

Which vector attraction reduction option is met for the sewage sludge at the receiving facility?

- \_\_\_ Option 1 (Minimum 38 percent reduction in volatile solids)
- \_\_\_ Option 2 (Anaerobic process, with bench-scale demonstration)
- \_\_\_ Option 3 (Aerobic process, with bench-scale demonstration)
- ☒ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
- \_\_\_ Option 5 (Aerobic processes plus raised temperature)
- \_\_\_ Option 6 (Raise pH to 12 and retain at 11.5)
- \_\_\_ Option 7 (75 percent solids with no unstabilized solids)
- \_\_\_ Option 8 (90 percent solids with unstabilized solids)
- \_\_\_ None unknown

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: \_\_\_\_\_

- h. Does the receiving facility provide any additional treatment or blending not identified in f or g above? \_\_\_ Yes ☒ No

If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above: \_\_\_\_\_

- i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility

FACILITY NAME: Blessed SACRAMENT-Hyguenot Academy VPDES PERMIT NUMBER: VA0063034

to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

INFORMATION WILL BE PROVIDED AT TIME TREATMENT IS REQUIRED

- j Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? ☐ Yes ☒ No  
If yes, provide a copy of all labels or notices that accompany the product being sold or given away.
- k Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? ☒ Yes ☐ No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.

Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. South on Academy Road, East on Route 60, left onto 2040 Anderson Highway, haul on very unrequent basis during daylight hours only.

7. Land Application of Bulk Sewage Sludge.

(Complete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6; complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)

- a. Total dry metric tons per 365-day period of sewage sludge applied to all land application sites: \_\_\_\_\_ dry metric tons
- b. Do you identify all land application sites in Section C of this application? ☐ Yes ☐ No  
If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
- c. Are any land application sites located in States other than Virginia? ☐ Yes ☐ No  
If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
- d. Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).

8. Surface Disposal.

(Complete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)

- a. Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: \_\_\_\_\_ dry metric tons
- b. Do you own or operate all surface disposal sites to which you send sewage sludge for disposal?  
☐ Yes ☐ No  
If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
- c. Site name or number: \_\_\_\_\_
- d. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_  
Contact is: ☐ Site Owner ☐ Site operator
- e. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- f. Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: \_\_\_\_\_ dry metric tons
- g. List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:

Permit Number:

Type of Permit:

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

9. Incineration.

(Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)

FACILITY NAME: BLESSED SACRAMENT-HUGUENOT ACADEMY VPDES PERMIT NUMBER: VA0063039

- a. Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator: \_\_\_\_\_ dry metric tons
- b. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?  
\_\_\_ Yes \_\_\_ No  
If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.
- c. Incinerator name or number: \_\_\_\_\_
- d. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_  
Contact is: \_\_\_ Incinerator Owner \_\_\_ Incinerator Operator
- e. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- f. Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge incinerator: \_\_\_\_\_ dry metric tons
- g. List on this form or an attachment the numbers of all other federal, state or local permits that regulate the firing of sewage sludge at this incinerator:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

10. Disposal in a Municipal Solid Waste Landfill.

(Complete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for each municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.)

- a. Landfill name: \_\_\_\_\_
- b. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_  
Contact is: \_\_\_ Landfill Owner \_\_\_ Landfill Operator
- c. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- d. Landfill location.  
Street or Route #: \_\_\_\_\_  
County: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- e. Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill:  
\_\_\_\_\_ dry metric tons
- f. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the operation of this municipal solid waste landfill:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- g. Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?  
\_\_\_ Yes \_\_\_ No
- h. Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.? \_\_\_ Yes \_\_\_ No
- i. Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered? \_\_\_ Yes \_\_\_ No  
Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported. \_\_\_\_\_  
\_\_\_\_\_

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or

The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or

You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

1. Identification of Land Application Site.

- a. Site name or number: \_\_\_\_\_
- b. Site location (Complete i and ii)
- i. Street or Route#: \_\_\_\_\_  
County: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- ii. Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_  
Method of latitude/longitude determination  
\_\_\_\_\_ USGS map \_\_\_\_\_ Filed survey \_\_\_\_\_ Other
- c. Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.

2. Owner Information.

- a. Are you the owner of this land application site? ☐ Yes ☐ No
- b. If no, provide the following information about the owner:  
Name: \_\_\_\_\_  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_

3. Applier Information:

- a. Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site? ☐ Yes ☐ No
- b. If no, provide the following information for the person who applies the sewage sludge:  
Name: \_\_\_\_\_  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
- c. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person who applies sewage sludge to this land application site:  

<u>Permit Number:</u>	<u>Type of Permit:</u>
_____	_____
_____	_____

4. Site Type. Identify the type of land application site from among the following:

- ☐ Agricultural land ☐ Reclamation site ☐ Forest  
☐ Public contact site ☐ Other. Describe \_\_\_\_\_

5. Vector Attraction Reduction.

Are any vector attraction reduction requirements met when sewage sludge is applied to the land application site?  
☐ Yes ☐ No If yes, answer a and b.

- a. Indicate which vector attraction reduction option is met:  
☐ Option 9 (Injection below land surface)  
☐ Option 10 (Incorporation into soil within 6 hours)
- b. Describe, on this form or on another sheet of paper, any treatment processes used at the land application site to reduce the vector attraction properties of sewage sludge:  
\_\_\_\_\_  
\_\_\_\_\_



FACILITY NAME: Blessed SACRAMENT-HYGUENOT ACADEMY VPDES PERMIT NUMBER: VA0063037

6. Cumulative Loadings and Remaining Allotments.

(Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.)

- a. Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? ☐ Yes ☐ No  
If no, sewage sludge subject to the CPLRs may not be applied to this site.  
If yes, provide the following information:  
Permitting authority: \_\_\_\_\_  
Contact person: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
- b. Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993? ☐ Yes ☐ No If no, skip the rest of Question 6. If yes, answer questions c - e.
- c. Site size, in hectares: \_\_\_\_\_ (one hectare = 2.471 acres)
- d. Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary.  
Facility name: \_\_\_\_\_  
Facility contact: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_  
Mailing address: \_\_\_\_\_  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- e. Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:

	<u>Cumulative loading</u>	<u>Allotment remaining</u>
Arsenic	_____	_____
Cadmium	_____	_____
Copper	_____	_____
Lead	_____	_____
Mercury	_____	_____
Nickel	_____	_____
Selenium	_____	_____
Zinc	_____	_____

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.

PCBs (mg/kg)	_____
pH (S. U.)	_____
Percent Solids (%)	_____
Ammonium Nitrogen (mg/kg)	_____
Nitrate Nitrogen (mg/kg)	_____
Total Kjeldahl Nitrogen (mg/kg)	_____
Total Phosphorus (mg/kg)	_____
Total Potassium (mg/kg)	_____
Alkalinity as CaCO <sub>3</sub> (mg/kg)	_____

\* Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO<sub>3</sub>.



FACILITY NAME: Blessed Sacrament - Huguenot Academy

VPDES PERMIT NUMBER: VA 0063037

8. Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
  - 1) Water wells, abandoned or operating
  - 2) Surface waters
  - 3) Springs
  - 4) Public water supply(s)
  - 5) Sinkholes
  - 6) Underground and/or surface mines
  - 7) Mine pool (or other) surface water discharge points
  - 8) Mining spoil piles and mine dumps
  - 9) Quarry(s)
  - 10) Sand and gravel pits
  - 11) Gas and oil wells
  - 12) Diversion ditch(s)
  - 13) Agricultural drainage ditch(s)
  - 14) Occupied dwellings, including industrial and commercial establishments
  - 15) Landfills or dumps
  - 16) Other unlined impoundments
  - 17) Septic tanks and drainfields
  - 18) Injection wells
  - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
  - 1) Maximum and minimum percent slopes
  - 2) Depressions on the site that may collect water
  - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
  - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.

9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.

10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.

11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? ☐ Yes ☐ No

If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- c. In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U. S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service  
Ecological Services  
6669 Short Lane  
Gloucester, VA 23061  
TEL: (804) 693-6694

Provide a copy of the notification letter with this application form.

- d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)  
Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.
  - 1) Soil symbol
  - 2) Soil series, textural phase and slope range
  - 3) Depth to seasonal high water table
  - 4) Depth to bedrock
  - 5) Estimated soil productivity group (for the proposed crop rotation)

**Item e - h are required for sites receiving frequent application of sewage sludge**

- e. In order to verify the information provided in item d, characterize the soil at each land application site. Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
  - 1). Soil symbol
  - 2). Soil series, textural phase and slope range
  - 3). Depth to seasonal high water table
  - 4). Depth to bedrock
  - 5). Estimated soil productivity group (for the proposed crop rotation)

FACILITY NAME: Blessed Sacrament Huguenot Academy VPDES PERMIT NUMBER: VA0063037

- f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)	_____
Soil pH (std. units)	_____
Cation Exchange Capacity (meq/100g)	_____
Total Nitrogen (ppm)	_____
Organic Nitrogen (ppm)	_____
Ammonia Nitrogen (ppm)	_____
Nitrate Nitrogen (ppm)	_____
Available Phosphorus (ppm)	_____
Exchangeable Potassium (mg/100g)	_____
Exchangeable Sodium (mg/100g)	_____
Exchangeable Calcium (mg/100g)	_____
Exchangeable Magnesium (mg/100g)	_____
Arsenic (ppm)	_____
Cadmium (ppm)	_____
Copper (ppm)	_____
Lead (ppm)	_____
Mercury (ppm)	_____
Molybdenum (ppm)	_____
Nickel (ppm)	_____
Selenium (ppm)	_____
Zinc (ppm)	_____
Manganese (ppm)	_____
Particle Size Analysis or USDA Textural Estimate (%)	_____

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

This sewage sludge application agreement is made on this date \_\_\_\_\_ between \_\_\_\_\_, referred to here as "landowner", and \_\_\_\_\_, referred to here as the "Permittee".

Landowner is the owner of agricultural land shown on the map attached as Exhibit A and designated there as \_\_\_\_\_ ("landowner's land"). Permittee agrees to apply and landowner agrees to comply with certain permit requirements following application of sewage sludge on landowner's land in amounts and in a manner authorized by VPDES permit number \_\_\_\_\_ which is held by the Permittee.

Landowner acknowledges that the appropriate application of sewage sludge will be beneficial in providing fertilizer and soil conditioning to the property. Moreover, landowner acknowledges having been expressly advised that, in order to protect public health, the following site restrictions must be adhered to when sewage sludge receives Class B treatment for pathogen reduction:

1. Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall not be harvested for 14 months after application of sewage sludge;
2. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for four months or longer prior to incorporation into the soil;
3. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than four months prior to incorporation into the soil;
4. Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge;
5. Animals shall not be grazed on the land for 30 days after application of sewage sludge;
6. Turf grown on land where sewage sludge is applied shall not be harvested for one year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by the State Water Control Board;
7. Public access to land with a high potential for public exposure shall be restricted for one year after application of sewage sludge;
8. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.
9. Tobacco, because it has been shown to accumulate cadmium, should not be grown on landowner's land for three years following the application of sewage sludge borne cadmium equal to or exceeding 0.5 kilograms/hectare (0.45 pounds/acre).

Permittee agrees to notify landowner or landowner's designee of the proposed schedule for sewage sludge application and specifically prior to any particular application to landowner's land. This agreement may be terminated by either party upon written notice to the address specified below.

Landowner:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Mailing Address

Permittee:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Mailing Address

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

1. Information on Active Sewage Sludge Units.

- a. Unit name or number: \_\_\_\_\_
- b. Unit location
  - i. Street or Route#: \_\_\_\_\_  
County: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
  - ii. Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_  
Method of latitude/longitude determination  
\_\_\_\_\_ USGS map \_\_\_\_\_ Filed survey \_\_\_\_\_ Other \_\_\_\_\_
- c. Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.
- d. Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period: \_\_\_\_\_ dry metric tons.
- e. Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit: \_\_\_\_\_ dry metric tons.
- f. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of  $1 \times 10^{-7}$  cm/sec? ☐ Yes ☐ No If yes, describe the liner or attach a description.  
\_\_\_\_\_  
\_\_\_\_\_
- g. Does the active sewage sludge unit have a leachate collection system? ☐ Yes ☐ No  
If yes, describe the leachate collection system or attach a description. Also, describe the method used for leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- h. If you answered no to either f or g, answer the following:  
Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface disposal site? ☐ Yes ☐ No If yes, provide the actual distance in meters: \_\_\_\_\_
- i. Remaining capacity of active sewage sludge unit, in dry metric tons: \_\_\_\_\_ dry metric tons  
Anticipated closure date for active sewage sludge unit, if known: \_\_\_\_\_ (MM/DD/YYYY)  
Provide with this application a copy of any closure plan developed for this active sewage sludge unit.

2. Sewage Sludge from Other Facilities.

Is sewage sludge sent to this active sewage sludge unit from any facilities other than yours? ☐ Yes ☐ No  
If yes, provide the following information for each such facility, attach additional sheets as necessary.

- a. Facility name: \_\_\_\_\_
- b. Facility contact: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
- c. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- d. List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the facility's sewage sludge management practices:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- e. Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?  
☐ Class A ☐ Class B ☐ Neither or unknown
- f. Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to reduce pathogens in sewage sludge: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FACILITY NAME: Blessed Sacrament - Huguenot Academy

VPDES PERMIT NUMBER: VA0063037

- g. Which vector attraction reduction option is achieved before sewage sludge leaves the other facility?
- ☐ Option 1 (Minimum 38 percent reduction in volatile solids)
  - ☐ Option 2 (Anaerobic process, with bench-scale demonstration)
  - ☐ Option 3 (Aerobic process, with bench-scale demonstration)
  - ☐ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
  - ☐ Option 5 (Aerobic processes plus raised temperature)
  - ☐ Option 6 (Raise pH to 12 and retain at 11.5)
  - ☐ Option 7 (75 percent solids with no unstabilized solids)
  - ☐ Option 8 (90 percent solids with unstabilized solids)
  - ☐ None or unknown
- h. Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce vector attraction properties of sewage sludge: \_\_\_\_\_
- i. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above: \_\_\_\_\_

3. Vector Attraction Reduction.

- a. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit?
- ☐ Option 9 (Injection below land surface)
  - ☐ Option 10 (Incorporation into soil within 6 hours)
  - ☐ Option 11 (Covering active sewage sludge unit daily)
- b. Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge: \_\_\_\_\_

4. Ground Water Monitoring.

- a. Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit? ☐ Yes ☐ No  
If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.
- b. Has a ground water monitoring program been prepared for this active sewage sludge unit?  
☐ Yes ☐ No If yes, submit a copy of the ground water monitoring program with this application.
- c. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated? ☐ Yes ☐ No  
If yes, submit a copy of the certification with this application.

5. Site-Specific Limits.

Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit?  
☐ Yes ☐ No If yes, submit information to support the request for site-specific pollutant limits with this application.



## MEMORANDUM

### DEPARTMENT OF ENVIRONMENTAL QUALITY Piedmont Regional Office

4949-A Cox Road, Glen Allen, Virginia 23060-6295

804/527-5020

**TO:** Curt Linderman  
**FROM:** Jaime Bauer  
**DATE:** July 11, 2008  
**SUBJECT:** Waiver Request for VA0063037 – Blessed Sacrament-Huguenot Academy  
**COPIES:** File (R/G, right)

The attached waiver request was submitted by Blessed Sacrament-Huguenot Academy with the permit re-issuance application received by the Piedmont Regional Office on June 30, 2008. Please note the following:

- The facility has the potential to discharges to a public water supply and has a design flow of 0.004 MGD.
- The facility is proposing to collect two sets of samples for analyses as part of the EPA Form 2A VPDES permit application.
- The facility is requesting a testing waiver from the third set of samples.
- In addition, the facility is requesting a waiver to sample at the stabilization lagoon at the point where a discharge would occur.
- The facility is also requesting a test waiver from the requirement that at least two samples be collected at least four months apart.
- Justification cited for the waivers is that this facility discharges to a stabilization lagoon which has had no discharge to state waters.

I recommend that the sampling waiver request be approved. Upon receipt of the results of the two sets of samples, I will have all of the necessary data to draft the permit.

☒ Approved ☐ Denied

Comments: As recommended, for this permit cycle only.

  
Signature

7/11/08  
Date



RECEIVED  
JUN 30 2008  
PRO

**Mr. James A. Fortune, *President***  
**Dr. John E. Talmadge, Jr., *Principal***      **Mr. Joseph J. Oley, Jr., *Assistant Principal***

June 27, 2008

Commonwealth of Virginia  
Department of Environmental Quality  
Piedmont Regional Office  
4949-A Cox Road  
Glen Allen, Virginia 23060

Attn: Ms. Jaime L. Bauer  
Environmental Specialist II

Re: Permit Application  
Permit No. VA0063037  
Blessed Sacrament-Huguenot Academy

Dear Ms. Bauer:

Enclosed for your use is a copy of the VPDES Permit Application for the above referenced facility. The completed application forms consist of the following:

- Permit Application Form 2A
- Sewage Sludge Permit Application Form
- VPDES Permit Application Addendum
- Public Notice Billing Information Form

To our knowledge, there is no discharge from the stabilization lagoon and analytical discharge data is unavailable. In an effort to determine the potential effluent characteristics of the lagoon, it is requested that we be allowed to collect representative samples from the stabilization lagoon at a point where a discharge would occur. We propose to collect two rounds of sampling within the next 30 days. We also request a waiver that stipulates two of the samples must be collected at least four months apart.

The sludge blanket depth in the stabilization lagoon will be appropriately monitored using a "sludge judge" or other similar device. When the level reaches



a point where solids adversely impact the operation of the facility, arrangements will be made to remove solids via a contract hauler and transported to the Dutoy Creek Wastewater Treatment Facility for appropriate treatment and disposal.

Should you have any questions or comments regarding the enclosed application, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, reading "James A. Fortune". The signature is written in dark ink and is positioned above the printed name and title.

James A. Fortune  
President